

In the Claims:


Please cancel Claims 16 - 20.

Please add new Claims 21 - 25 as follows:


- A1
21. (New) A method according to claim 1, wherein said stress induced respiratory disorder is respiratory complex caused by transportation or crowding.
 22. (New) A method according to claim 21, wherein said respiratory complex is bovine respiratory complex.
 23. (New) A method according to claim 21, wherein said respiratory complex is porcine respiratory complex.
 24. (New) A method according to claim 1, wherein said stress induced respiratory disorder is upper respiratory infection caused by shipping or transport.
 25. (New) A method according to claim 24, wherein said patient is a horse suffering from upper respiratory infection.

Please amend Claims 1-6, 8 and 10-13 as follows:

- A2
A3
1. (Amended) A method of treating or preventing a stress induced respiratory disorder in a patient, wherein said method comprises administering to said patient an immunoglobulin composition comprising immunoglobulins, and wherein said stress induced respiratory

 disorder is selected from the group consisting of exercise induced pulmonary hemorrhage, respiratory disease complex resulting from shipment or crowding, and upper respiratory infections accompanying stress.

2. (Amended) A method according to claim 1, wherein stress induced respiratory disorder is exercise induced pulmonary hemorrhage.
3. (Amended) A method in accordance with claim 1, wherein said immunoglobulin composition is administered three to five times within a period ranging from six to ten days.
4. (Amended) A method in accordance with claim 1, wherein said immunoglobulin composition is administered every seven to ten days.
5. (Amended) A method in accordance with claim 1, wherein said immunoglobulin composition is administered in doses ranging from 5 to 20 ml of said immunoglobulin composition.

 6. (Amended) A method in accordance with claim 1, wherein said immunoglobulin composition is administered by a mode selected from the group consisting of intratracheal administration, vapor inhalation and/or intravenous administration.

A4 8. (Amended) A method in accordance with claim 6, wherein said immunoglobulin composition is administered by vapor inhalation.

10. (Amended) A method in accordance with claim 8, wherein said immunoglobulin composition is administered three to five times within a period ranging from six to ten days.

A5 11. (Amended) A method in accordance with claim 8, wherein said immunoglobulin composition is administered every seven to ten days.

12. (Amended) A method in accordance with claim 8, wherein said immunoglobulin composition is administered in doses ranging from 5 to 20 ml of said immunoglobulin composition.

13. (Amended) A method in accordance with claim 1, wherein said immunoglobulin composition comprises a concentrated amount of one or more gamma globulins selected from the group consisting of IgG, IgG₁, IgM, IgA, IgE, IgD and/or mixtures thereof.